

**In the claims:**

Please amend the claims as follows:

Claims 1-10 were previously canceled.

11. Cancel

12. Cancel

13. Cancel

14. Cancel

15. Cancel

16. Cancel

17. Cancel

18. Cancel

19. (Currently Amended)     A method for communicating in a computer system comprising:  
   managing a queue in a storage area network of said computer system supporting  
   an asynchronous messaging and queuing system;  
   receiving a message request at ~~a queue manager of said storage area network~~ from  
   a second queue manager local to a second server; and  
   passing said received message request to a storage area network controller local to  
   a first server of said storage area network; ; and

maintaining message data on said queue on storage media in said storage area network, wherein said controller includes means to control a message selected from a group consisting of: non-persistent and persistent.

20. (Currently Amended) The method of claim 19, further comprising supporting simultaneous access to said ~~message~~ queue by a ~~first~~ third queue manager local to a third server and said ~~a~~ second queue manager.

21. (Original) The method of claim 19, wherein the step of managing a queue in a storage area network includes authorizing a connection handle to a call request from said queue manager.

22. (Original) The method of claim 21, further comprising tracking a quantity of authorized connection handles for said queue.

23. (Original) The method of claim 21, wherein the step of managing a queue in a storage area network includes dispensing an object handle by said queue manager for performance of a service to an object.

24. (Original) The method of claim 19, wherein said transaction message control means utilizes a syncpoint coordinator.

25. (Original) The method of claim 19, wherein the step of managing a queue in a storage area network includes preserving data integrity.

26. Cancel

27. Cancel

28. Cancel

29. Cancel

30. Cancel

31. Cancel

32. Cancel

33. Cancel

34. Cancel

35. Cancel

36. Cancel

37. (Currently Amended) A method for messaging comprising:  
managing a queue in communication with a controller of a storage area network of an asynchronous messaging and queuing system, said controller local to a managing server of said storage area network, and said queue maintained on physical storage media of said storage area network; and

controlling a message in said queue, wherein said message is selected from a group consisting of: non-persistent and persistent.

38. (Original) The method of claim 37, wherein the step of controlling a transactional message includes a syncpoint coordinator.

39. (Original) The method of claim 37, wherein the step of managing a queue in a storage area network includes tracking a quantity of connection handles authorized for said queue.

40. Cancel